

ONYX-ES – Dell[®] PowerEdge R350 Server

Powerful Performance

The GXC ONYX-ES/R350 is powered by the latest Intel Xeon processors, delivering exceptional performance under demanding workloads.



Scalability

Supports up to 64GB of DDR4 memory and multiple storage options (SATA and NVMe SSDs), the GXC ONYX-ES can easily scale to meet growing business needs.

Flexible Storage

Supports up to four hot-pluggable 3.5" or 2.5" SAS/SATA/NVMe drives, providing ample storage capacity and flexibility for data-intensive applications.

Enhanced Security

Featuring built-in security features such as TPM 2.0, Secure Boot, and system lockdown, the R350 helps safeguard your data and infrastructure against unauthorized access and threats.

Remote Management

With integrated Dell EMC iDRAC9 with Lifecycle Controller, administrators can remotely manage, monitor, and update the GXC ONYX-ES with ease, reducing downtime and improving productivity.



Model	PowerEdge R350 Server
Front Ports	1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0
Rear Ports	1 x USB 2.0 1 x USB 3.0 2 x Ethernet 1 x VGA
Network Options	2 x 1GbE LOM
Processor	Intel [®] Xeon [®] E-2334
Processor Speed	3.4GHz
Processor Generation	Xeon E (Rocket Lake-E)
Processor Core	4C/8T
Video Card	1 x VGA
Memory Type	UDIMM
Memory Module Slots	4 DDR4 DIMM slots
Memory Capacity	16GB UDIMM
Memory Speed	3200 MT/s
Operating Temp. Range	10°C to 35°C (50°F to 95°F)
Dimensions	Height: 42.8 mm (1.69 in.) Width: 482.0 mm (18.98 in.) Depth with Bezel: 570.23 mm (22.44 in.) Depth without Bezel: 556.59 mm (21.90 in.)
Case Material	Steel
Mounting Options	Rack-mountable (1U form factor)



Dimensional Drawings

